

Ipriflavone is a synthetic flavonoid derived from the soy compound daidzein.




Figure 1 Chemical Structure Ipriflavone

Ipriflavone promotes the incorporation of calcium into bone. It also inhibits bone breakdown. Many clinical studies, including numerous double-blind studies, have clearly shown that long-term treatment with Ipriflavone (*along with 1,000 mg supplemental calcium per day*) is both safe and effective in halting bone loss in postmenopausal women or in women who have had their ovaries removed. Ipriflavone has also been found to improve bone density in cases of osteoporosis.^{1 2 3 4 5 6}



References

1. Agnusdei D, Bufalino L. Efficacy of ipriflavone in established osteoporosis and long-term safety. *Calcif Tissue Int* 199;61:S23-7 [includes review].
2. Head KA. Ipriflavone: an important bone-building isoflavone. *Altern Med Rev* 1999;4:10-22 [review].
3. Avioli LV. The future of ipriflavone in the management of osteoporotic syndromes. *Calcif Tissue Int* 1997;61 Suppl 1:S33-5 [review].
4. Adami S, Bufalino L, Cervetti R, et al. Ipriflavone prevents radial bone loss in postmenopausal women with low bone mass over 2 years. *Osteoporos Int* 1997;7:119-25.
5. Nozaki M, Hashimoto K, Inoue Y, et al. Treatment of bone loss in oophorectomized women with a combination of ipriflavone and conjugated equine estrogen. *Int J Gynaecol Obstet* 1998;62:69-75.
6. Gennari C, Adami S, Agnusdei D, et al. Effect of chronic treatment with ipriflavone in postmenopausal women with low bone mass. *Calcif Tissue Int* 1997;61:S19-22.

For more information please visit www.bio-gen.in